

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS PO Box 1450 Alexandra, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/579,790	05/18/2006	Yoshiyuki Takase	Q94561	7397
23373 7590 03/11/2008 SUGHRUE MION, PLLC 2100 PENNSYL VANIA AVENUE, N.W.			EXAMINER	
			BUIE, NICOLE M	
SUITE 800 WASHINGTON, DC 20037		ART UNIT	PAPER NUMBER	
		4145		
			MAIL DATE	DELIVERY MODE
			03/11/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) 10/579,790 TAKASE ET AL. Office Action Summary Examiner Art Unit NICOLE M. BUIE 4145 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-10 is/are pending in the application. 4a) Of the above claim(s) _____ is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed. 6) Claim(s) 1-10 is/are rejected. 7) Claim(s) _____ is/are objected to. 8) Claim(s) _____ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. Attachment(s)

PTOL-326 (Rev. 08-06)

1) Notice of References Cited (PTO-892)

Notice of Draftsperson's Patent Drawing Review (PTO-948)
 Notice of Draftsperson's Patent Drawing Review (PTO-948)
 Notice of Draftsperson's Patent Drawing Review (PTO-948)

Paper No(s)/Mail Date 20060518/ 20060818/ 20060919.

Interview Summary (PTO-413)
 Paper No(s)/Mail Date.

6) Other:

5) Notice of Informal Patent Application

Application/Control Number: 10/579,790 Page 2

Art Unit: 4145

DETAILED ACTION

Information Disclosure Statement

1. The information disclosure statements filed 05/18/2006 and 08/18/2006 fail to comply with 37 CFR 1.98(a)(2), which requires a legible copy of each cited foreign patent document; each non-patent literature publication or that portion which caused it to be listed; and all other information or that portion which caused it to be listed. It has been placed in the application file, but the foreign patent documents JP 2000-198813, JP 3-500547 and JP 46-23245 referred to therein have not been considered, since applicant did not provide copies of said references.

Abstract

The abstract of the disclosure is objected to because the abstract is more than 15 lines, is
not in a single paragraph, and contains legal phraseology. Correction is required. See MPEP

§ 608.01(b).

Claim Objections

 Claim 1 is objected to because of the following informalities: "mass" at line 10 should be replaced with a more common terminology "amount". Appropriate correction is required.

Claim Rejections - 35 USC § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all
 obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Application/Control Number: 10/579,790 Page 3

Art Unit: 4145

5. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- Determining the scope and contents of the prior art.
- Ascertaining the differences between the prior art and the claims at issue.
- Resolving the level of ordinary skill in the pertinent art.
- Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 6. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- Claims 1-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hiraga et al. (US 6,451,962).

Regarding claim 1, Hiraga et al. discloses a method of producing a fluoropolymer by which a melt-processable fluoropolymer (A) having a specific unstable terminal group or groups (P) is subjected to melt- kneading in a kneader comprising a stabilization treatment zone to thereby produce a fluoropolymer (B) resulting from conversion of said specific unstable terminal group or groups (P) to -CF₂H (Abstract, C1/L5-9, C4/L56-62), said specific unstable terminal group or groups (P) comprising alkoxycarbonyl groups, fluoroalkoxycarbonyl groups and/or carboxyl group quaternary nitrogen compound salts (C4/L15-37), the melt-kneading being

carried out in the absence or presence of an alkali metal element or alkaline earth metal element (C2/L64-C3/L3), and the melt-kneading in said stabilization treatment zone being carried out in the presence of water (Abstract, C4/L63-C5/L12). Hiraga et al. further discloses that the adding amount of alkali metal element or alkaline earth metal element is not more than 10% based on the total number of unstable groups (carboxylic acid end group) (C4/L64-C5L9). However, Hiraga et al. does not disclose the mass of said alkali metal element or alkaline earth metal element being not greater than 2 ppm of the composition under melt-kneading.

Regarding the specific amount of alkali metal element or alkaline earth metal element, since the instant specification is silent to unexpected results, the specific amount of alkali metal element or alkaline earth metal element is not considered to confer patentability to the claims. As the stabilization rate of unstable end groups and degree of coloration are variables that can be modified by adjusting said amount of alkali metal element or alkaline earth metal element as taught by Hiraga et al. (C4/L63-C5/L12), the precise amount of alkali metal element or alkaline earth metal element would have been considered a result effective variable by one having ordinary skill in the art at the time the invention was made. As such, without showing unexpected results, the claimed amount of alkali metal element or alkaline earth metal element cannot be considered critical. Accordingly, one of ordinary skill in the art at the time the invention was made would have optimized, by routine experimentation, the amount of alkali metal element or alkaline earth metal element to obtain desired stabilization rate of unstable end groups and degree of coloration (In re Boesch, 617 F.2d. 272,205 USPQ 215 (CCPA 1980)), since it has been held that where the general conditions of the claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. (In re Aller,

105 USPQ 223).

Regarding claim 2, Hiraga et al. discloses all the claim limitations as set forth above. Hiraga et al. further discloses the method wherein the melt-kneading in the stabilization treatment zone is carried out in the presence of oxygen gas (Abstract, C6/L23-36).

Regarding claims 3 and 4, Hiraga et al. discloses all the claim limitations as set forth above. Hiraga et al. further discloses the method wherein the kneader is a twin-screw extruder (C7/L53-58).

Regarding claim 5, Hiraga et al. discloses all the claim limitations as set forth above. Hiraga et al. further discloses the method wherein the temperature in the stabilization treatment zone is set to 280 to 430°C (C10/L28-34).

Regarding claim 6, Hiraga et al. discloses all the claim limitations as set forth above. Hiraga et al. further discloses a fluoropolymer obtained (C8/L21-26). Regarding the method limitations recited on said claim, the examiner notes that even though a product-by-process is defined by the process steps by which the product is made, determination of patentability is based on the product itself. *In re Thorpe*, 777 F.2d 695, 227 USPQ 964 (Fed. Cir. 1985). As the court stated *in re Thorpe*, 777 F.2d at 697, 227 USPQ at 966 (The patentability of a product does not depend on its method of production. *In re Pilkington*, 411 F.2d 1345, 1348, 162 USPQ 145, 147 (CCPA 1969). If the product in a product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process.).

Regarding claim 7, Hiraga et al. discloses all the claim limitations as set forth above. Hiraga et al. further discloses a fluoro-polymerised material comprising a fluoropolymer,

Art Unit: 4145

wherein said fluoropolymer comprises (1) a fluorocopolymer derived from at least one fluoromonomer selected from the group consisting of **tetrafluoroethylene**,

hexafluoropropylene, vinylidene fluoride and chlorotrifluoroethylene, (2) a chlorotrifluoroethylene homopolymer and/or (3) a vinylidene fluoride homopolymer, said fluorocopolymer is one resulting from polymerization of a perfluoro(alkyl vinyl ether) and/or ethylene or one not resulting from such polymerization (C3/L12-28), said fluoropolymer is one of which polymer terminal groups are -CF₂H and not more than 20 unstable terminal groups (Q) per 10⁶ carbon atoms (Example 1 in Table 1, C10), and said fluoro-polymerised material contains or does not contain a metal residue containing an alkali metal element and/or alkaline earth metal element. However, Hiraga et al. does not disclose the mass of said alkali metal element and/or alkaline earth metal element is not greater than 2 ppm of said fluoro-polymerised material

Regarding the specific amount of alkali metal element or alkaline earth metal element, since the instant specification is silent to unexpected results, the specific amount of alkali metal element or alkaline earth metal element is not considered to confer patentability to the claims. As the stabilization rate of unstable end groups and degree of coloration are variables that can be modified by adjusting said amount of alkali metal element or alkaline earth metal element, the precise amount of alkali metal element or alkaline earth metal element would have been considered a result effective variable by one having ordinary skill in the art at the time the invention was made. As such, without showing unexpected results, the claimed amount of alkali metal element or alkaline earth metal element cannot be considered critical. Accordingly, one of ordinary skill in the art at the time the invention was made would have optimized, by routine

Art Unit: 4145

experimentation, the amount of alkali metal element or alkaline earth metal element to obtain desired stabilization rate of unstable end groups and degree of coloration (*In re Boesch*, 617 F. .2d. 272,205 USPQ 215 (CCPA 1980)), since it has been held that where the general conditions of the claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. (*In re Aller*, 105 USPQ 223).

Regarding claim 8, Hiraga et al. discloses all the claim limitations as set forth above.

Additionally, Hiraga et al. discloses the fluoro-polymerised material wherein the fluoropolymer is a product obtained by emulsion polymerization (C3/L22-28, C3/L64-C4/L14).

Regarding claim 9, Hiraga et al. discloses all the claim limitations as set forth above.

Additionally, Hiraga et al. discloses the fluoro-polymerised material wherein the fluoropolymer is a fluorocopolymer derived from tetrafluoroethylene and hexafluoropropylene (Example 1, C10/L11-38)

 Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hiraga et al. (US 6,451,962) as applied to claims 7 and 9 above, and further in view of Hiraga et al. (EP 1260526).

Regarding claim 10, Hiraga et al. (US '962) discloses all the claim limitations as set forth above. Hiraga et al. (US '962) further discloses the fluoro-polymerised material wherein the fluorocopolymer derived from tetrafluoroethylene and hexafluoropropylene is a fluorocopolymer having a tetrafluoroethylene unit, a hexafluoropropylene unit, and a perfluoro(alkyl vinyl ether) unit content of 0.5 to 16%, which significantly overlaps the claimed range of 0 to 5% by mass (C3/L22-28). However, Hiraga et al. (US '962) does not disclose the specific amounts of tetrafluoroethylene and hexafluoropropylene.

Regarding the specific amounts of tetrafluoroethylene and hexafluoropropylene, since the

instant specification is silent to unexpected results, the specific amounts of tetrafluoroethylene and hexafluoropropylene is not considered to confer patentability to the claims. As the electrical conductivity and corrosion ability are variables that can be modified by adjusting said amounts of tetrafluoroethylene and hexafluoropropylene as taught by Hiraga et al. (EP '526), the precise amounts of tetrafluoroethylene and hexafluoropropylene would have been considered a result effective variable by one having ordinary skill in the art at the time the invention was made. As such, without showing unexpected results, the claimed amounts of tetrafluoroethylene and hexafluoropropylene cannot be considered critical. Accordingly, one of ordinary skill in the art at the time the invention was made would have optimized, by routine experimentation, the amounts of tetrafluoroethylene and hexafluoropropylene to obtain desired electrical conductivity and corrosion ability (In re Boesch, 617 F .2d. 272,205 USPQ 215 (CCPA 1980)), since it has been held that where the general conditions of the claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. (In re Aller, 105 USPQ 223).

Double Patenting

9. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., In re Berg, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); In re Goodman, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); In re Longi, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); In re Van Ornum, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); In re Vogel, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and In re Thorington, 418 F.2d 528, 163 USPO 644 (CCPA 1962).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting

Art Unit: 4145

ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3,73(b).

10. Claims 1-5 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-3 and 6 of Hiraga et al., U.S. Patent No. 6,451,962.
Although the conflicting claims are not identical, they are not patentably distinct from each other.

Regarding instant claims 1-5, claims 1-3 and 6 of Hiraga et al. (US '962) recite a method of producing a fluoropolymer by which melt-processable fluoropolymer (A) having terminal group or groups (P) is subjected to melt-kneading in a kneader comprising a stabilization treatment zone to thereby produce a fluoropolymer (B) resulting from conversion of said unstable end groups, the melt-kneading being carried out in the absence or presence of an alkali metal element or alkaline earth metal element, and the melt-kneading in said stabilization treatment zone being carried out in the presence of water. Hiraga et al. further recites the method wherein the melt-kneading in the stabilization treatment zone is carried out in the presence of oxygen gas. Additionally, Hiraga et al. recites the method wherein the kneader is a screw-type extruder, wherein the screw-type extruder is a twin-screw extruder.

However, Hiraga et al. does not recite the conversion of said specific unstable terminal group or groups to -CF₂H, the mass of said alkali metal element or alkaline earth metal element being not greater than 2 ppm of the composition, and the temperature in the stabilization treatment zone is set at 280 to 430°C.

Within the disclosure of Hiraga et al., the reference does disclose specific unstable

Art Unit: 4145

terminal groups of claim 1 and the conversion of said specific unstable terminal group or groups to -CF₂H. Hiraga et al. does disclose that the adding amount of the alkali metal element or alkaline earth metal element is not more than 10%, but does not disclose the specific amount in claim 1. Additionally, Hiraga et al. discloses the method of producing a fluoropolymer wherein the temperature in the stabilization treatment zone is set at 280 to 430°C.

Regarding the specific amount of alkali metal element or alkaline earth metal element, since the instant specification is silent to unexpected results, the specific amount of alkali metal element or alkaline earth metal element is not considered to confer patentability to the claims. As the stabilization rate of unstable end groups and degree of coloration are variables that can be modified by adjusting said amount of alkali metal element or alkaline earth metal element, the precise amount of alkali metal element or alkaline earth metal element would have been considered a result effective variable by one having ordinary skill in the art at the time the invention was made. As such, without showing unexpected results, the claimed amount of alkali metal element or alkaline earth metal element cannot be considered critical. Accordingly, one of ordinary skill in the art at the time the invention was made would have optimized, by routine experimentation, the amount of alkali metal element or alkaline earth metal element to obtain desired stabilization rate of unstable end groups and degree of coloration (In re Boesch, 617 F .2d. 272,205 USPQ 215 (CCPA 1980)), since it has been held that where the general conditions of the claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. (In re Aller, 105 USPQ 223).

Conclusion

 Any inquiry concerning this communication or earlier communications from the examiner should be directed to NICOLE M. BUIE whose telephone number is (571)270-3879.

The examiner can normally be reached on Monday-Thursday, 7:30am-5pm, (EST), and Fridays,

7:30am-4pm with alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Basia Ridley can be reached on (571)272-1453. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

,

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/N. M. B./ Examiner, Art Unit 4145 3/11/2008

/Basia Ridley/

Supervisory Patent Examiner, Art Unit 4145